

Message

---

**From:** Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]  
**Sent:** 4/22/2020 3:53:32 PM  
**To:** Charlie Keegan [c.keegan@erllc.com]; Kormos, Dane [dane.kormos@westonsolutions.com]  
**CC:** Alvon Jackson [a.jackson@erllc.com]  
**Subject:** RE: Shiloh Church Rd/3-S467[3097782]

Charlie,

These are interesting results, especially in light of the Mound 2 & 3 results. It may be worthwhile for us all to have a conference call tomorrow to discuss if and how we should divide up 9E. FYI, START is sampling Mound 8 today, so that will go out as well

Thank you  
Chris

-----Original Message-----

From: Charlie Keegan <c.keegan@erllc.com>  
Sent: Wednesday, April 22, 2020 11:43 AM  
To: Wagner, Christine <Wagner.Christine@epa.gov>; Kormos, Dane <dane.kormos@westonsolutions.com>  
Subject: Fw: Shiloh Church Rd/3-S467[3097782]

See attached report for Property 1.

The only data that we have outstanding at ALS is the PCB testing for Property 3.

Charlie Keegan  
Response Manager  
Environmental Restoration, LLC  
609-304-2296

---

From: ALMDT.LIMSAUTOEMAIL@Alsglobal.com <ALMDT.LIMSAUTOEMAIL@Alsglobal.com>  
Sent: Wednesday, April 22, 2020 11:23 AM  
To: Charlie Keegan  
Subject: Shiloh Church Rd/3-S467[3097782]

The following reports are attached:

WO 3097782 , Work ID Shiloh Church Rd/3-S467 []

--- End Of List ---

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.